

HP StorageWorks

Tru64 UNIX connectivity 3.0G for the EVA3000/5000 Enterprise Virtual Array release notes

Legal and notice information

Copyright © 2003-2005 Hewlett-Packard Development Company, L.P.

Hewlett-Packard Company makes no warranty of any kind with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

This document contains proprietary information, which is protected by copyright. No part of this document may be photocopied, reproduced, or translated into another language without the prior written consent of Hewlett-Packard. The information contained in this document is subject to change without notice.

UNIX® is a registered trademark of The Open Group.

Hewlett-Packard Company shall not be liable for technical or editorial errors or omissions contained herein. The information is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for Hewlett-Packard Company products are set forth in the express limited warranty statements for such products. Nothing herein should be construed as constituting an additional warranty.

Tru64 UNIX connectivity 3.0G for the EVA3000/5000 Enterprise Virtual Array release notes

About this document

This section covers the following topics:

- Release notes information
- Intended audience

Release notes information

These release notes cover the following topics:

- New features
- EVA storage system
- EVA compatability
- Operating constraints
- Storage System Scripting Utility for EVA
- Avoiding problem situations

Intended audience

This document is intended to assist customers who purchased the HP StorageWorks Enterprise Virtual Array (EVA) to run on the Tru64 UNIX® operating system.

This document is also intended for use by HP Customer Service personnel responsible for installing and maintaining devices connected to the EVA storage system.

New features

The major enhancement in this release is support for Virtual Controller Software (VCS) 3.025.

EVA storage system

This document contains the most recent product information about operating the EVA on a Tru64 UNIX system.

EVA documentation

A complete library of EVA and related documentation is available at the following web sites:

<http://www.hp.com/go/eva5000>

<http://www.hp.com/go/eva3000>

Supported configurations

Supported configurations are described in the *Enterprise Virtual Array QuickSpecs*, available at the following web sites:

<http://h18006.www1.hp.com/products/storageworks/eva3000/specifications.html>

<http://h18006.www1.hp.com/products/storageworks/eva5000/specifications.html>

The extended interoperability of the heterogeneous SAN allows you to mix several types of HP StorageWorks storage systems. The *HP StorageWorks SAN design reference guide* is a detailed guide for SAN configurations and is available at the following web site.

<http://h18004.www1.hp.com/products/storageworks/san/documentation.html>.

EVA compatibility

Operating system support

Table 1 lists the operating system specifications.



NOTE:

Table 1 contains current minimum level operating system specifications at the time of the EVA 3.025 release. Some component versions may change due to revision. For the latest information, go to this web site: <http://h18006.www1.hp.com/storage/index.html>

Table 1 Operating system specifications

Tru64 UNIX version (minimum)	Fibre channel adapter (HBA)			Adapter firmware version (minimum)	Adapter firmware version (recommended)
5.1A (PK6) NHD7	n/a	DS-KGPSA-CA	LP8000	3.82a1	3.92a2
	FCA2354	DS-KGPSA-DA	LP9002	3.91a1	3.92a2
	FCA2384	DS-KGPSA-EA	LP9802	1.81a5	1.90a4
	FCA2684	DS-A5132-AA	LP10000	1.81a5	1.90a4
	FCA2684DC	DS-A5134-AA	LP10000DC	1.81a5	1.90a4
5.1B (PK4) NHD7	n/a	DS-KGPSA-CA	LP8000	3.82a1	3.92a2
	FCA2354	DS-KGPSA-DA	LP9002	3.91a1	3.92a2
	FCA2384	DS-KGPSA-EA	LP9802	1.81a5	1.90a4
	FCA2684	DS-A5132-AA	LP10000	1.81a5	1.90a4
	FCA2684DC	DS-A5134-AA	LP1000DC	1.81a5	1.90a4

Switch support

This version supports the Fibre Channel switches and firmware versions listed in the *HP StorageWorks SAN design reference guide* which can be downloaded from this web site:

<http://h18000.www1.hp.com/products/storageworks/san/documentation.html>



NOTE:

HP recommends that you do not mix switch firmware versions in your SAN. It is considered a best practice to uniformly upgrade all switches in the SAN.

Multiple-path support

Multiple-path capability is integrated into Tru64 UNIX. Using Tru64 UNIX with EVA storage requires no additional software to achieve high-availability, multiple-path capability.

Single-path support

A Tru64 UNIX server requires a single Fibre channel adapter (FCA) to support single-path mode.



NOTE:

Single-path mode should not be used in mission-critical environments.

Alpha servers support

Table 2 lists the EVA-compatible Alpha servers.

Table 2 EVA-compatible Alpha servers

Alpha Server	DS-KGPSA-CA support	DS-KGPSA-DA support	DS-KGPSA-EA support	DS-A51321-AA support	DS-A5134-AA support
AS800	Yes	No	No	No	No
AS1200	Yes	No	No	No	No
AS4000	Yes	No	No	No	No
AS4100	Yes	No	No	No	No
AS8200	Yes	No	No	No	No
AS8400	Yes	No	No	No	No
DS10	Yes	Yes	Yes	No	No
DS10L	Yes	Yes	Yes	No	No
DS15	No	Yes	Yes	Yes	Yes
DS20E	Yes	Yes	Yes	Yes	No
DS20L	Yes	Yes	Yes	No	No
DS25	Yes	Yes	Yes	Yes	Yes
ES40	Yes	Yes	Yes	Yes	No
ES45	Yes	Yes	Yes	Yes	Yes
ES47	No	Yes	Yes	Yes	Yes
ES80	No	Yes	Yes	Yes	Yes
GS60	Yes	No	No	No	No
GS60E	Yes	No	No	No	No
GS80	Yes	Yes	Yes	Yes	No
GS140	Yes	No	No	No	No
GS160	Yes	Yes	Yes	Yes	No
GS320	Yes	Yes	Yes	Yes	No
GS1280	No	Yes	Yes	Yes	Yes

Operating constraints

You can find information about operating constraints specific to the EVA and Command View EVA in their respective release notes.

Failover/failback

Failback preference settings for the HSV controllers are specific to the operating system. Refer to the HP StorageWorks Enterprise Virtual Array release notes for details.

Storage System Scripting Utility for EVA

The Storage System Scripting Utility (SSSU) communicates directly with the Command View EVA. Refer to the *Command View EVA release notes* prior to using the SSSU.

Avoiding problem situations

The following sections describe problems that may arise and their solutions.

Known problems

You can find information about problems specific to the EVA and Command View EVA in their respective release notes.

SSSU

Changing comments on a disk enclosure

Use Command View EVA to change comments on a disk enclosure. If you try to change a disk enclosure comment using the SSSU, the following error message appears:

```
Error: Invalid Operation
```

Changing the name of a disk enclosure

Changing the name of a disk enclosure is not supported with the SSSU or with Command View EVA. If you try to change a disk enclosure name using the SSSU, the following error message appears:

```
Error: Invalid Operation
```